





Website

Facebook

YouTube

Simon 17_{smart}



SIMON LIGHT UP EMOTIONS

Simon, S.A.(Spain) Tel. +34 902 109100 Web. www.simonelectric.com

Simon Electric (APAC) Web. www.simon-apac.com E-mail. info@simon-apac.com www.simonelectric.com



Simon Electric (China) Tel. +86 21 3855 5222 Web. www.simon.com.cn


PT Simon Elektrik Indonesia Tel. +62 21 52960373 Web. www.simonelektrik.co.id Practical & Simple Just as You Imagine

A conventional switch capable of turning your house into a smart home.









Everything at your fingertips







24hrs customization


ZigBee 3.0 communication protocol

The ZigBee devices create a strong mesh network for wireless home automation. Achieve automation and scenario with other smart switches and home devices











Simon smart gateway


. . .

Simon smart switch

App control/Easy operation

No need to worry about forgetting to turn off the lights

Remote control on/off, Timer setting, Indicator setting



Remote control ON/OFF Air conditioner on the way home

Pre-set everything before getting home Timely enjoy the most comfortable home.



Personalized smart scene /Automation setting

Achieve automation with other devices







+

Smart Switch

Turn on the lights automatically when you come back





Motion sensor



Auto light up when it detects the motion, care for children sleeping at night

Elder-Friendly and Child-Friendly Design/Wall control



Gateway + Smart scene switch (enable replace conventional 2-way switch) + Smart switch=2-way control







Gateway

Smart scene switch

Smart Switch

Works with Google home. Amazon Alexa and Siri Works with Google home. Amazon Alexa and Siri Works with Google Works with W



USB A+C Gateway integrated



zigbee

- Easy to install: replace traditional socket to smart gateway
- Support max 20W Quick charge + Zigbee3.0 Smart gateway
- Integrate with Simon Smart system: Support 30 ZigBee devices
- Type A+C Dual USB Port: no need adaptor for charging
- Safety and reliable: over-temperature, overload and short circuit protection function







Charger type A









Charger type C

Smart Gateway



Smart Switch


1/2/3/4 gang smart switch

* 200W/gang

Multiple control ways, remote control ON/OFF devices



Smart scene switch



Movie



Scene setting



* Set scenarios and 2-way control by App No load wires between switch and light

2-way control



APP control



Voice control



Smart Easy switch i7 - No neutral


1/2/3 gang smart easy switch

* 200W/gang

- No extra wiring, retrofit in original 86 wall box
- Same wiring method with traditional switch
- Safety and reliable hardware

ZigBee 3.0 | Customized Antenna | TV-8 Relay

• Remote control on/off, Timer setting, Indicator setting, Scenario and automation





Wireless remote scene switch

No load wires between switch and light

- 2 way control: with Smart no-neutral switch can achieve 2-way control
- Scene switch: 6 custom buttons support user-defined scenarios (Welcome home / Movie time etc.)
- No space limitation: Wiring-free, 3M glue, stick-free





Smart curtain switch

Control the curtain any time in any room

*Connect 4/5-Wire Strong Current Motor







Plan and schedule



Wall switch



Automation




Smart Triac dimming switch (load: Triac driver)

Touch for on/off and slide for dimming



*Compatible with Simon light or other Triac dimming light



Smart dimming switch (No load / ZigBee to 0-10V set)

Touch for on/off and slide for dimming

Plan and

schedule


Wall

switch

Voice

control





Compatible with any 0-10V dimming light No load wires between switch and light

Smart Tunable White and Dimming Switch(No load/ ZigBee control)

•Adjust the brightness •Adjust cold & warm color temperature








control















light module







Smart switch (20A)

Upgrade air-conditioner into smart version











cont

Voic conti

Plan an schedu

II Autom





Smart Central-AC Thermostat Module Smart Ventilation System Module

i7 Smart Home Environment Control

Simplify design, 180° visual display Multiple modes control: Cooling/Heating/Ventilation/Dehumidify





Voice control



Plan and schedule



Wall switch



Automation




Easy switch to smart life -Network configuration



Step 1.

- Replace a traditional socket with wall mounted smart gateway
- Open simon smart app,click add button "+" on the top right corner on the homepage
- After connecting the power, add the device as per the app prompts By 2.4GHz Wi-Fi



Step 2.

- · Retrofit a traditional switch to smart switch
- After connecting the power, long press the left bottom button of switch until the configuration indicator flashes
- Open simon smart app, add the smart switch below the "Gateway" interface by internet(Wi-Fi or 3G/4G/5G)



Step 3.


APP control



Step 4.

- Voice control
- Link Simon Smart app with Google Home/Amazon Alexa

Safe and reliable, high quality and performance



Extra-large wiring space

Conventional 86 type flush mounting box

ZigBee module with excellent protocol performance

Wireless transceiver efficiency increased by 10% ~20%

High quality relay

Low power consumption achieved by adopting TV-8 relay Avoid light glowing/ghosting while switch is off LED load Excellent adaptability Nominal surge current 117A

Professional antenna design

Stable signal
Antenna efficiency ≥ 30%

The codes are not included frames.

The codes are not included frames.

Smart Gateway

S00E0-S008

Smart Zigbee Gateway (LAN)



S00E0-S009

Smart Zigbee Gateway (WiFi)



70E761TY

Smart ZigBee Wall-mounted USB A+C Gateway (WiFi)



Smart Switch

70E855TY

1 Gang Smart Switch Module (20A)



70E854TY

4 Gang Multifunction Smart Switch Module (2 scene+2 switch)(200W/gang)

COLOUR ▶



70E847TY

2 Gang Smart Curtain Switch Module*

Smart Curtain Switch



70E846TY

1 Gang Smart Curtain Switch Module*

*4/5-Wire Strong Current Motor



Smart Tunable white and Dimming Set (with Smart KC1 like

70E853TY Smart Tunable White and Dimming Switch Module*



N62E0-1157

Smart LED KC1 Tunable WH Module Max12W15°2700-6000K



N62E0-1158

*No load wires between switch and light

Smart LED KC1 Tunable WH Module Max12W24°2700-6000K



N62E0-1159

Smart LED KC1 Tunable WH Module Max12W36°2700-6000K



70E838TY

1 Gang Smart Switch Module (200W/gang)



70E839TY

2 Gang Smart Switch Module (200W/gang)



70E840TY

3 Gang Smart Switch Module (200W/gang)



70E841TY

4 Gang Smart Switch Module (200W/gang)



Smart Easy Switch (No neutral)

70E850TY

1 Gang Smart Easy Switch Module (>3W, 200W/Gang)



70E851TY

2 Gang Smart Easy Switch Module (>3W, 200W/Gang)



70E852TY

3 Gang Smart Easy Switch Module (>3W. 200W/Gang)



681820TY

6 Gang Remote Control Scene Switch*



*No load wires between switch and light

N62E0-1160

Smart LED KC1 Tunable WH Module Max12W60°2700-6000K



N6524-0391

SC1 constant current Tunable WH+ Dim driver (5W100mA36VDC)



N6524-0392

SC1 constant current Tunable WH+ Dim driver (7W160mA36VDC)



N6524-0393

SC1 constant current Tunable WH+ Dim driver (9W200mA36VDC)



Smart Scene Switch

*No load wires between switch and light

70E842TY 1 Gang Smart Scene Switch Module*



70E843TY

2 Gang Smart Scene Switch Module*



70E844TY

3 Gang Smart Scene Switch Module*



70E845TY

4 Gang Smart Scene Switch Module*



N6524-0394

SC1 constant current Tunable WH+ Dim driver (12W300mA36VDC)



N6524-0412

Zigbee module for SC1 driver (Tunable WH + Dim)













Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

Smart Dimming Switch

*TRIAC

70E848TY

1 Gang Smart Dimming Switch Module(200W/Gang)*



70E849TY

2 Gang Smart Dimming Switch Module(200W/Gang)*



Smart 0/1-10V dimming set(with any 0/1-10V light)

*No load wires between switch and light

70E856TY

1 Gang Smart Dimming Switch(0-10v)*



70E857TY

2 Gang Smart Dimming Switch(0-10v)*



N65E0-0017

Zigbee to 0-10V converter with on/off relay (800W/converter)



N65E0-0018

Zigbee module for SC1 driver (dimming 0/1-10V)



Smart Thermostat

*VRF,need customized AC gateway module

70E7024TY

Smart Central-AC Thermostat Module(FCU)



70E7028TY

Smart Vantilation System Module



70E7031TY

Smart AC Thermostat Module* (VRF,Modbus open protocol)



