





Website

Facebook

YouTube



Simon, S.A.(Spain) Tel. +34 902 109100 Web. www.simonelectric.com www.simonelectric.com




Simon Electric (China) Tel. +86 21 3855 5222 Web. www.simon.com.cn Simon Electric (APAC) Web. www.simon-apac.com E-mail. info@simon-apac.com PT Simon Elektrik Indonesia Tel. +62 21 52960373 Web. www.simonelektrik.co.id

May 2023 Printed



# Simon | MT36



### Master Class Lighting Experiences Multiple Lights, Separate Control


Smooth, accurate lighting control at your command. Add multiple filter capacitors and voltage regulator for the driver to achieve smooth dimming and zero visible flicker across full range.





### Multiple Lights, Separate Control

Agile, Accurate, Smooth




<sup>\*</sup>For demonstration purposes only, the actual interface may differ.

# simon

# ZigBee 3.0 Wireless Communication Protocol Fast Stable Energy-efficient

Adopt ZigBee3.0 wireless communication protocol, no extra wiring; Interconnected with Simon Smart IOT ecosystem, creating a smoother lighting experience.



# simon

### **Various Interactions & Smart Linkages Satisfy All Lighting Control Needs**

Incorporate with Simon Smart App, linking a great amount of Simon smart products—better and easier life at your fingertips.



All devices in real time remote control



Voice Control Free your hands, instant response



Smart Panel Touch Control Enjoy Premium Lighting Experience



Smart Wall Switch Control Elder & Child Friendly

### **Personalized Automatic Settings**

































### **Advanced Scene Experiences** Lifestyle Switched in One Click



Relax

### More Personalized Scene Settings





E-sports



Morning



Romance








## simon

### **Five Individual Lighting Modules, Freely Combine**


Various Lighting Effects, Wonderfully Present.



## **Double Locking, Safe and Durable**


Strong Magnetic+Safe Clip; Double Insurance.





**Selected High Purity Red Copper** 

High Electrical Conductivity, Safe and Stable



# Specification

INSTL Finishing Lifetime Black 50000h

# **Dimensional Drawing**

Order Code Product Description	Nominal Color Luminous Power Temperature Flux (lm) Eff	Light Product Size ficiency (lm/W) (mm)	Quantity Carton Size Per Carton (L*W*H mm)	Product	Product Line Art
16424-1040 Smart MT36 48V TunableWH TRK GridSpotlight 12W24°BK	10W 2700K-5700K Max950lm			Smart Pendant Light	
16424-1041 Smart MT36 48V TunableWH TRK Adjust GridSpotlight12W24°B			20 470×400×420		
6424-1042 Smart MT36 48V TunableWH TRK Spotlight 10W24°BK	12W 2700K-5700K Max700lm	70lm/W ø42*180*H158	20 280×260×420		g.
424-1043 Smart MT36 48V TunableWH TRK Linear Light 12W BK	12W 2700K-5700K Max780lm	65lm/W L436*W22*H42.6	20 505×305×115		<b>2</b> 41.5mm
424-1044 Smart MT36 48V TunableWH TRK Pendant 10W36°BK	10W 2700K-5700K Max700lm	70lm/W ø41.5*1508	20 395×320×315		1508mm
5600-1037 MT36 Recessed Magnetic Track 1meterBK		- L76*W55*H1000	10 1080×375×65		
600-1038 MT36 Recessed Magnetic Track 2meterBK			6 2080×245×65		
6600-1039 MT36 L corner acc_Horizontal BK			30 330×320×225	Smart Linear Light	
5600-1040 MT36 L corner acc_Vertical BK			30 330×320×225		
600-1041 MT36 Power connector 0.2meter BK			50 225×150×150		
600-1042 MT36 I shape Power connector BK			50 225×215×100		42.6
6600-1043 MT36 corner Power connector BK	150W		50 225×215×145		
524-0442 MT36 Recessed 48V constant voltage Driver150w	150W	- L308xW22.6xH47	10 370×210×130		435.6
2W Adjust GridSpotlight Only				Smart Grid Spotlight	327.6
		.77. 12.10		Smart Adjust Grid Spotlight	
	VEGC VEG.	ALCEBY.  ACCHOLUTE  CONTROLLER  ACCHOLUTE  ACCHOLUTE	2 VEGAN	Smart Spotlight	179.6

